



Wichita Plant



June 20, 2014

CERTIFIED MAIL: 7010 3090 0003 3945 0880

Return Receipt Requested

U.S. Environmental Protection Agency Region 7
Attn: Chief, RCRA Corrective Action and Permits Branch
AWMD/WRAP/KNRP
11201 Renner Blvd
Lenexa, Kansas 66219

**RE: NOTIFICATION OF PLANT CHANGES; OCCIDENTAL CHEMICALS CORPORATION,
WICHITA PLANT; USEPA ID# KSD007482029**

Dear Sir:

Enclosed please find a notification of a plant change, as required by Occidental Chemical Corporation's RCRA hazardous waste permit number KSD007482029 per *Section 1, I.E.10. Reporting Planned Changes*. The plan is to fill in Sump 426 which is located in the closed process area that was once the Pentachlorophenol Plant.

A concrete pad is being installed near Sump 426 for a 30,000 gallon air receiver. Due to its proximity to Sump 426 it is necessary to fill in the sump for drainage and accessibility. The railing and equipment will be removed and the sump will be filled in with concrete and the area will be leveled to maintain proper drainage. The project is scheduled to begin in late July. OCC understands this construction change doesn't officially close the SWMU; however the data indicates that all detections in the area are below action levels.

A drawing and details for filling in the sump is attached for your review.

If you have any questions, please call Lisa R. Thurman at 316/529-7204.

Sincerely,

Lisa R. Thurman
Environmental Engineer

c.c.: Mostafa Kamal; KDHE
Brad Roberts, USEPA Region VII
Juan Somoano; GSHI
Bruce Clegg; CRA

CERTIFIED MAIL: 7010 3090 0003 3945 0897

CERTIFIED MAIL: 7010 3090 0003 3945 0903

L1406042

RCRA



531438

RECEIVED

JUN 23 2014

AWMD/WRAP-KNRP



Occidental Chemical Corporation




Thurman, Lisa

From: Buss, Bruce E
Sent: Thursday, June 19, 2014 4:24 PM
To: Thurman, Lisa
Subject: closing of sump 426

Lisa,

The sump is 6' x 6' x 4' deep with a lowered basin on the south end that is 1' wide by 1.5' deep. The total volume is 171 cubic feet.


We will use Flowable Fill, a very fluid cementitious slurry, to fill the sump to within 12" of grade level. The final 12" will be covered with a standard concrete containing $\frac{3}{4}$ " #57 aggregate.



Bruce Buss
Project Engineer
Wichita Plant

Occidental Chemical Corporation *OxyChem*


A subsidiary of Occidental Petroleum Corporation
6200 S. Ridge Road, Wichita, KS 67215
P.O. Box 12283, Wichita, KS 67277-2283
Phone: 316-529-7221
Mobile: 316-200-3333
Fax: 316-529-7333



FOUNDATION PLAN
SCALE 1/2" = 1'-0"

STRUCTURAL GENERAL NOTES

1. CONC: 3006 BSC
2. MAX. TEMP. WT: 70,000 LB
3. SCL: 2000 PSF (MAX.)
4. CONC: P_c = 4500 PSI @ 28 DAYS
5. REBAR: P_y = 60 KSI A615, ASTM A615



FOUNDATION SECTION
SCALE 1/2" = 1'-0"



OKCIDENTAL CHEMICAL CORPORATION
WICHITA, KANSAS

**AR RECOVER TANK
FOUNDATION PLAN & SECTION**
S1

DATE: 11/14/14
 BY: JAC
 CHECKED: JAC
 APPROVED: JAC
 25-1-X-XXXX PL

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

U.S. Postal Service™

CERTIFIED MAIL™ RECEIPT

Domestic Mail Only; No Insurance Coverage Provided

For delivery information visit our website at www.usps.com®

OFFICIAL USE

Postage

\$ 0.48

Certified Fee

3.30

Return Receipt Fee
(Endorsement Required)

2.70

Restricted Delivery Fee
(Endorsement Required)

Postmark
Here

Total Postage & Fees

\$ 6.48

Sent To

US EPA Region 7 Attn: Chief

Street, Apt. No.;
or PO Box No.

11201 Renner Blvd

City, State, ZIP+4

Lenexa, KS 66219

7010 3090 0003 3945 0880

Certified Mail Provides:

- A mailing receipt
- A unique identifier for your mailpiece
- A record of delivery kept by the Postal Service for two years

Important Reminders:

- Certified Mail may **ONLY** be combined with First-Class Mail® or Priority Mail®.
- Certified Mail is *not* available for any class of international mail.
- **NO INSURANCE COVERAGE IS PROVIDED** with Certified Mail. For valuables, please consider Insured or Registered Mail.
- For an additional fee, a *Return Receipt* may be requested to provide proof of delivery. To obtain Return Receipt service, please complete and attach a Return Receipt (PS Form 3811) to the article and add applicable postage to cover the fee. Endorse mailpiece "Return Receipt Requested". To receive a fee waiver for a duplicate return receipt, a USPS® postmark on your Certified Mail receipt is required.
- For an additional fee, delivery may be restricted to the addressee or addressee's authorized agent. Advise the clerk or mark the mailpiece with the endorsement "*Restricted Delivery*".
- If a postmark on the Certified Mail receipt is desired, please present the article at the post office for postmarking. If a postmark on the Certified Mail receipt is not needed, detach and affix label with postage and mail.

IMPORTANT: Save this receipt and present it when making an inquiry.

PS Form 3800, August 2006 (Reverse) PSN 7530-02-000-9047